

From: Richard Fetzer/R3/USEPA/US
Sent: 4/26/2012 7:39:13 PM
To: "Graves, Suddha" <Sgraves@TechLawInc.com>
CC: Kelley Chase, "Richard Rupert" <Rupert.Richard@epamail.epa.gov>
Subject: RE: Proposal for resampling at Dimock

I think a call is a great idea. my head is spinning from the email exchanges and I am not sure what answers you have already got. We have a call at 9am with HQ and I am not sure how long that will take. Let's shoot for 10am. OK?

Richard M. Fetzer
Federal On-Scene Coordinator
100 Gypsum Road
Stroudsburg, PA 18360
(215) 341-6307

From: "Graves, Suddha" <Sgraves@TechLawInc.com>
To: Richard Fetzer/R3/USEPA/US@EPA
Cc: Richard Rupert/R3/USEPA/US, Kelley Chase/R3/USEPA/US@EPA
Date: 04/26/2012 04:59 PM
Subject: RE: Proposal for resampling at Dimock

Rich,
I have the SAP drafted, but I still have a couple questions remaining. I'd like to give you a call tomorrow morning to discuss, but I wanted to check to see if there was a specific time which works better for you.
Thanks,

Suddha Graves
TechLaw, Inc.

From: Richard Fetzer [mailto:Fetzer.Richard@epamail.epa.gov]
Sent: Thursday, April 26, 2012 9:00 AM
To: Graves, Suddha
Cc: Richard Rupert; Kelley Chase
Subject: Fw: Proposal for resampling at Dimock

Suddha,

Here's the most up-to-date version that has been send to HQ for review. You should refer to this, for preparation of the sampling plan by Friday.

Yes, include plans for both tap and wellhead sampling.

Call me if you have questions.

rich

Richard M. Fetzer
Federal On-Scene Coordinator
100 Gypsum Road
Stroudsburg, PA 18360
(215) 341-6307

----- Forwarded by Richard Fetzer/R3/USEPA/US on 04/26/2012 08:33 AM -----

From: Dennis Carney/R3/USEPA/US
To: Dana Tulis/DC/USEPA/US@EPA, eoc_environmental_unit@epa.gov
Cc: Gilberto Irizarry/DC/USEPA/US@EPA, Terry Smith/DC/USEPA/US@EPA, Janine Dinan/DC/USEPA/US@EPA, Richard Fetzer/R3/USEPA/US@EPA, Gerald Heston/R3/USEPA/US@EPA
Date: 04/25/2012 08:54 AM
Subject: Proposal for resampling at Dimock

As a follow-up to yesterday afternoon's conference call with Mathy and others, attached is the R3 proposal for resampling homes at Dimock. Please contact OSC Rich Fetzer at (215) 341-6307 with questions.

Please note we have begun to develop a sampling plan based on this proposal and will make adjustments to that plan as it is drafted based on your input to this proposal. We hope to have a sampling plan to the EU for review next week so we can begin resampling sometime the week of 5/7/12. Thanks, dennis.